| Injury and Violence | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|---|------|------|------|------|-------|------|-------|
| Percentage of students who | | | | | | | |
| Rode a bicycle and never or rarely wore a | 94.6 | 89.6 | 93.2 | 91.1 | 90.5 | 90.0 | 91.9 |
| bicycle helmet during the past 12 months | 94.0 | 09.0 | 93.2 | 91.1 | 90.5 | 90.0 | 91.9 |
| Never or rarely wore a seat belt when riding | 51.3 | 28.9 | 29.3 | 20.2 | 23.1 | 21.4 | 19.8 |
| in a car driven by someone else | 31.3 | 20.5 | 23.3 | 20.2 | 23.1 | 21.7 | 13.0 |
| Never or rarely wore a seat belt when driving | | | 31.2 | 24.3 | 29.2 | 27.2 | 23.1 |
| a car | | | 02 | 0 | 20.2 | | 20.1 |
| Rode in a car driven by someone who had | 58.3 | 49.3 | 46.3 | 34.1 | 38.0 | 41.2 | 34.7 |
| been drinking alcohol during the past 30 days | | | | • | | | • |
| Drove a car when they had been drinking | 37.1 | 25.1 | 26.2 | 18.7 | 18.9 | 20.7 | 17.5 |
| alcohol during the past 30 days | | _ | _ | _ | | _ | _ |
| Carried a weapon such as a gun, knife, or | 36.2 | 31.1 | 32.2 | 27.5 | 29.1 | 29.4 | 31.0 |
| club during the past 30 days | | _ | | | | | |
| Carried a gun during the past 30 days | 21.9 | 17.0 | 16.4 | 12.1 | 12.1 | 12.6 | 14.6 |
| Carried a weapon on school property during | | | | | | | |
| the past 30 days | 23.2 | 20.2 | 20.9 | 11.1 | 16.4 | 13.0 | 14.1 |
| Did not go to school because they felt unsafe | | | | | | | |
| at school or on their way to or from school | 4.7 | 9.0 | 7.6 | 5.1 | 5.8 | 6.9 | 5.8 |
| during the past 30 days | 7.7 | 0.0 | 7.0 | 0.1 | 0.0 | 0.5 | 0.0 |
| Had been threatened or injured with a | | | | | | | |
| weapon on school property during the past 12 | 9.9 | 10.8 | 14.9 | 11.3 | 7.9 | 8.5 | 9.8 |
| months | | | | | | | |
| Had property such as their car, clothing, or | | | | | | | NI-4 |
| books stolen or deliberately damaged on | | | | 28.4 | 33.2 | 29.8 | Not |
| school property during the past 12 months | | | | | | | asked |
| Were in a physical fight during the past 12 | 50.3 | 48.2 | 49.0 | 41.2 | 40.6 | 46.4 | 46.0 |
| months | 50.5 | 40.2 | 49.0 | 41.2 | 40.0 | 40.4 | 40.0 |
| Were injured in a physical fight that required | 10.0 | 10.0 | 6.6 | 5.9 | 6.9 | 8.2 | 6.1 |
| medical treatment during the past 12 months | 10.0 | 10.0 | 0.0 | 5.9 | 0.9 | 0.2 | 0.1 |
| Were in a physical fight on school property | 50.3 | 48.2 | 49.0 | 41.2 | 40.6 | 23.2 | 18.2 |
| during the past 12 months | 30.3 | 70.2 | 73.0 | 71.2 | 70.0 | 25.2 | 10.2 |
| Were hit, slapped, or physically hurt on | | | | | | | |
| purpose by their boyfriend or girlfriend during | | 15.4 | 13.3 | 13.8 | 14.1 | 15.1 | 15.3 |
| the past 12 months | | | | | | | |
| Have ever been physically forced to have | | 16.7 | 15.4 | 15.2 | 13.8 | 15.2 | 14.1 |
| sexual intercourse when they did not want to | | | | | - 3.0 | | |
| Had been bullied on school property during | | | | | | | 30.1 |
| the past 12 months | | | | | | | |
| Had been electronically bullied, such as | | | | | | | |
| through e-mail, chat rooms, instant | | | | | | | 21.4 |
| messaging, Web sites, or text messaging | | | | | | | |
| during the past 12 months | | | | | | | |

| Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | | 36.5 | 36.4 | 35.6 | 36.8 | 35.6 | 36.5 |
|--|------|------|------|------|------|------|------|
| Seriously considered attempting suicide during the past 12 months | 31.8 | 24.2 | 29.4 | 25.6 | 21.6 | 24.3 | 21.4 |
| Made a plan about how they would attempt suicide during the past 12 months | 25.5 | 23.9 | 22.8 | 17.7 | 18.1 | 19.5 | 19.3 |
| Actually attempted suicide during the past 12 months | 19.2 | 16.3 | 28.7 | 18.5 | 16.3 | 18.4 | 16.7 |
| Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during the past 12 months | 4.7 | 6.8 | 10.5 | 4.7 | 5.9 | 4.7 | 6.3 |

| Tobacco Use | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|---|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Ever tried cigarette smoking | 81.1 | 79.5 | 82.2 | 71.4 | 68.6 | 69.1 | 65.9 |
| Smoked a cigarette before age 13 | 45.7 | 43.0 | 51.0 | 34.6 | 31.3 | 32.8 | 28.0 |
| Smoked a cigarette on one or more of the past 30 days ("current") | 54.3 | 50.2 | 49.3 | 32.4 | 35.3 | 34.7 | 33.6 |
| Smoked cigarettes on 20 or more of the past 30 days ("frequent") | 29.8 | 29.4 | 29.0 | 16.9 | 15.2 | 16.4 | 10.8 |
| Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days | 14.5 | 13.1 | 12.1 | 8.4 | 5.0 | 11.1 | 5.2 |
| Usually got their cigarettes by buying them in a store or gas station during the past 30 days | | | 9.5 | 4.9 | 7.5 | 4.4 | 5.2 |
| Smoked cigarettes on school property during the past 30 days | 24.0 | 23.1 | 18.8 | 11.8 | 11.1 | 12.9 | 9.5 |
| Ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days ("regular") | | 39.6 | 39.1 | 28.2 | 27.7 | 26.8 | 21.6 |
| Among current smokers, tried to quit smoking during the past 12 months | | | 36.9 | 27.0 | 59.7 | 55.5 | 71.1 |
| Used chewing tobacco, snuff, or dip during the past 30 days | 26.0 | 19.9 | 18.5 | 17.5 | 19.3 | 15.2 | 18.0 |
| Used chewing tobacco, snuff, or dip on school property during the past 30 days | 20.7 | 11.2 | 14.2 | 10.5 | 11.6 | 10.3 | 13.6 |
| Smoked cigars, cigarillos, or little cigars during the past 30 days | | 20.3 | 20.3 | 15.9 | 18.2 | 19.2 | 22.3 |

| Alcohol and Other Drug Use | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|---|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Had at least one drink of alcohol during their life | 92.1 | 86.9 | 89.2 | 83.1 | 78.8 | 79.7 | 78.9 |
| Had first drink of alcohol before age 13 | 54.5 | 53.1 | 51.5 | 40.9 | 40.0 | 40.6 | 37.7 |
| Had at least one drink of alcohol during the past 30 days ("current") | 67.3 | 59.9 | 60.9 | 51.4 | 49.1 | 51.0 | 46.5 |
| Had five or more drinks of alcohol in a row during the past 30 days ("binge drink") | 52.7 | 48.0 | 50.2 | 39.2 | 36.9 | 39.0 | 34.6 |
| Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days | | | | | | | 40.9 |
| Had at least one drink of alcohol on school property during the past 30 days | 12.6 | 9.5 | 14.6 | 6.5 | 7.1 | 8.6 | 9.5 |
| Used marijuana during their life | 60.9 | 56.5 | 57.7 | 48.3 | 45.5 | 52.1 | 52.7 |
| Tried marijuana before age 13 | 21.2 | 31.2 | 26.1 | 20.4 | 17.9 | 23.8 | 16.5 |
| Used marijuana during the past 30 days ("current") | 40.0 | 37.3 | 36.1 | 26.2 | 23.1 | 29.8 | 28.6 |
| Used marijuana on school property during the past 30 days | 15.2 | 12.6 | 13.9 | 7.0 | 7.6 | 8.3 | 6.9 |
| Used any form of cocaine during their life | 13.7 | 21.2 | 18.9 | 15.0 | 15.1 | 13.0 | 10.3 |
| Used any form of cocaine during the past 30 days ("current") | 14.0 | 9.5 | 9.0 | 7.0 | 6.7 | 5.4 | 6.1 |
| Used inhalants during their life | 31.3 | 23.9 | 23.2 | 22.9 | 18.7 | 26.3 | 22.0 |
| Used heroin during their life | | 10.4 | 9.5 | 4.7 | 5.8 | 6.3 | 3.5 |
| Used methamphetamines during their life | | 24.1 | 21.0 | 15.2 | 13.3 | 10.5 | 5.1 |
| Used ecstasy during their life | | | | 9.0 | 7.9 | 12.1 | 11.1 |
| Took steroid pills or shots without a doctor's prescription during their life | 9.3 | 8.6 | 12.0 | 5.7 | 7.6 | 6.5 | 6.1 |
| Used a needle to inject any illegal drug into their body during their life | 8.1 | 6.8 | 7.4 | 5.7 | 5.1 | 4.4 | 3.8 |
| Were offered, sold, or given an illegal drug on school property during the past 12 months | 28.9 | 33.9 | 32.4 | 25.2 | 23.5 | 24.6 | 28.3 |

| Sexual Behaviors | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|--|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Ever had sexual intercourse | 61.2 | 57.1 | 56.7 | 52.0 | 51.1 | 57.2 | 58.3 |
| Had sexual intercourse before age 13 | 17.9 | 16.3 | 16.7 | 11.1 | 12.7 | 15.2 | 11.5 |
| Had sexual intercourse with four or more people during their life | 23.2 | 21.3 | 26.1 | 16.2 | 17.7 | 21.8 | 20.8 |
| Had sexual intercourse during the past three months ("current") | 37.4 | 39.7 | 38.8 | 34.0 | 32.9 | 35.9 | 38.6 |
| Drank alcohol or used drugs before last sexual intercourse | 40.5 | 37.6 | 40.5 | 28.4 | 34.5 | 30.5 | 30.1 |
| Currently sexually active and used a condom during last sexual intercourse | 48.8 | 58.9 | 54.8 | 64.8 | 65.8 | 61.3 | 63.8 |
| Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse | 11.1 | 13.3 | 13.0 | 11.8 | 13.4 | 19.6 | 15.6 |
| Had ever been taught about AIDS or HIV infection | 87.8 | 87.7 | 83.6 | 83.6 | 86.0 | 83.6 | 82.3 |

| Weight Management and Dietary Behaviors | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|--|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Described themselves as slightly or very overweight | 41.1 | 32.5 | 34.2 | 36.0 | 40.3 | 36.9 | 35.9 |
| Were trying to lose weight | 48.7 | 38.4 | 46.8 | 49.9 | 46.6 | 54.2 | 45.3 |
| Exercised to lose weight or to keep from gaining weight during the past 30 days | 56.1 | 62.1 | 61.1 | 63.4 | 59.2 | 63.4 | 64.8 |
| Ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days | | 38.1 | 40.1 | 41.8 | 38.4 | 42.8 | 43.7 |
| Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days | | 14.7 | 20.9 | 18.2 | 19.2 | 19.5 | 18.2 |
| Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days | | 10.1 | 13.3 | 11.9 | 6.7 | 9.5 | 8.7 |
| Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | 12.8 | 6.4 | 7.0 | 9.3 | 9.0 | 6.5 | 7.2 |
| Drank 100% fruit juices during the past seven days | | 82.3 | 75.5 | 79.9 | 74.0 | 75.6 | 78.9 |
| Ate fruit during the past seven days | | 85.5 | 83.1 | 88.0 | 83.4 | 87.2 | 88.8 |
| Ate green salad during the past seven days | | 72.1 | 66.9 | 68.9 | 68.1 | 67.9 | 72.4 |
| Ate potatoes during the past seven days | | 83.7 | 75.5 | 76.1 | 70.6 | 75.3 | 73.4 |
| Ate carrots during the past seven days | | 55.0 | 54.6 | 55.6 | 50.9 | 53.5 | 56.9 |
| Ate other vegetables during the past seven days | | 88.7 | 81.0 | 84.1 | 81.6 | 79.7 | 83.8 |
| Drank pop on a daily basis during the past seven days | | | | | | 30.3 | 30.3 |
| Drank three or more glasses per day of milk during the past seven days | | 24.6 | 26.1 | 21.2 | 19.6 | 18.7 | 19.1 |

| Physical Activity | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|--|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Were physically active for at least 60 minutes per day on 5 or more of the past seven days | | | | | | 47.1 | 46.1 |
| Watched three or more hours per day of TV on an average school day | | 33.4 | 35.5 | 30.4 | 29.5 | 25.7 | 25.5 |
| Played video or computer games for 3 or more hours per school day | | | | | | 18.5 | 21.1 |
| Attended physical education (PE) classes on one or more days in an average week when they were in school | 66.9 | 64.2 | 65.9 | 65.2 | 63.6 | 64.0 | 60.7 |
| Attended physical education (PE) classes daily in an average week when they were in school | 26.9 | 37.7 | 29.6 | 33.2 | 35.5 | 37.6 | 32.7 |
| Played on one or more sports teams during the past 12 months | | 62.3 | 63.4 | 64.6 | 56.2 | 58.2 | 58.0 |

| Other | 1997 | 1999 | 2001 | 2003 | 2005 | 2007 | 2009 |
|---|------|------|------|------|------|------|------|
| Percentage of students who | | | | | | | |
| Have been told by a doctor or nurse that they have asthma | | | | | 19.4 | 26.8 | 26.2 |
| Still have asthma | | | | | | 17.2 | 20.5 |